

MARINE HYDRAULIC SOLUTIONS

*Reliable Performance.
Built for the Ocean*



COMPATIBLE WITH



MERCURY



YAMAHA



SUZUKI
MARINE



HONDA

10HP-500HP

Lanshine Marine is a professional manufacturer of marine hydraulic systems and jack plate solutions.

We are committed to delivering high-performance, durable and reliable products for outboard motors.



- ✓ Hydraulic Outboard Power Tilt & Trim Plate
- ✓ Hydraulic Outboard Jack Plates
- ✓ OEM & ODM Service
- ✓ Advanced Production Equipment
- ✓ Strict Quality Control
- ✓ Compatible with Global Brands
- ✓ Exported Worldwide
- ✓ Warranty period extended by 50%



CONTENTS

●	About Lanshine Marine	01
●	Power Tilt & Trim Plate D3001	02
●	Power Tilt & Trim Assembly D4001A	04
●	Power Tilt & Trim Assembly D6001A	08
●	Power Tilt & Trim Assembly D6001B	11
●	Power Tilt & Trim Assembly D6001C	14
●	Power Tilt & Trim Assembly D11501A	17
●	Jack Plate DL001A	20
●	Jack Plate DL002A	22
●	Jack Plate DL003A	24
●	Jack Plate DL004A	26
●	Contact Us	28

D3001

Compatible Brands:

Mercury, Yamaha, Suzuki, Honda, Parsun, Hidea, Canglong, Hangkai

Compatibility subject to OEM part number, mounting pattern and model-year verification.

Hydraulic Outboard Power Tilt & Trim Plate

Dimension



Technical Hilight

Voltage:	12V
Max Trim Force:	1500KG
Outboard Motor Horsepower:	10HP-90HP
IP Rating:	IP68
Colour:	Gray/Black
Material:	Aluminum-Alloy, Stainless Steel
Pre-drilled Hole:	16.8mm
Thickness at the opening:	20mm
Manual Release Valve:	Yes
Impact Prodection:	Yes
Zero Pressure Loss:	Yes
High-Pressure Fine-Tuning:	Yes
Anti-corrosion protection:	Yes




D4001A

Compatible Models:

Yamaha 2-stroke 25HP-40HP
Yamaha 4-stroke 20HP-45HP
Yamaha 4-stroke 25HP-40HP


Hydraulic Outboard Power Tilt & Trim Assembly

Dimension



Technical Hilight

Voltage:	12V/24V
Maximum force for fine adjustment of longitudinal tilt angle:	2000KG-2500KG
Outboard Motor Horsepower:	20HP-45HP
IP Rating:	IP68
Colour:	Black
Material:	Aluminum-Alloy, Stainless Steel
Manual Release Valve:	Yes
Impact Prodection fiction:	Yes
Anti-beaching protection function:	Yes
Zero Pressure Loss:	Yes
High-Pressure Fine-Tuning:	Yes



Replace part number: YAMAHA OEM

65W-43800-01-4D

65W-43800-02-4D

65W-43800-03-4D

65W-43800-20-4D

65W-43800-21-4D

65W-43800-22-8D

65W-43800-23-8D

65W-43800-24-8D

67C-43800-00-4D

67C-43800-01-4D

67C-43800-01-8D

67C-43800-10-8D

67C-43800-11-8D

67C-43800-12-8D

67C-43800-13-8D




D6001A

Compatible Models:

Mercury 4-Stroke 30HP
Mercury 4-Stroke 35HP-60HP
Mercury 2-Stroke 55HP-60HP


Hydraulic Outboard Power Tilt & Trim Assembly

Dimension



Technical Hilight

Voltage:	12V/24V
Maximum force for fine adjustment of longitudinal tilt angle:	3000KG-3500KG
Outboard Motor Horsepower:	30HP-60HP
IP Rating:	IP68
Colour:	Black
Material:	Aluminum-Alloy, Stainless Steel
Manual Release Valve:	Yes
Impact Prodection fiction:	Yes
Anti-beaching protection function:	Yes
Zero Pressure Loss:	Yes
High-Pressure Fine-Tuning:	Yes



Replace part number: Mercury OEM

855654T4

8M0055011

893517T01

8M0055011

855654T08

855654T09

8M0055011




D6001B

Compatible Models:

Yamaha 4-stroke 40HP-60HP
Yamaha 4-stroke 40HP-70HP
Yamaha 4-stroke 60HP


Hydraulic Outboard Power Tilt & Trim Assembly

Dimension



Technical Hilight

Voltage:	12V/24V
Maximum force for fine adjustment of longitudinal tilt angle:	3000KG-3500KG
Outboard Motor Horsepower:	40HP-70HP
IP Rating:	IP68
Colour:	Black
Material:	Aluminum-Alloy, Stainless Steel
Manual Release Valve:	Yes
Impact Prodection fiction:	Yes
Anti-beaching protection function:	Yes
Zero Pressure Loss:	Yes
High-Pressure Fine-Tuning:	Yes



Replace part number: YAMAHA OEM

6C5-43800-00-4D

6C5-43800-01-4D

6C5-43800-04-4D

6C5-43800-11

6C5-43800-01-8D

6C5-43800-10-8D

6C5-43800-12

69W-43800-00-4D

69W-43800-00-8D

69W-43800-10-8D

6CJ-43800-00-8D

6CJ-43800-10-8D

6CJ-43800-11-8D

6CJ-43800-12-8D

6CJ-43800-13-8D

6C5-43800-13

D6001C


Compatible Models:

Mercury 4-stroke 75HP —115HP




Hydraulic Outboard Power Tilt & Trim Assembly

Dimension



Technical Hilight

Voltage:	12V/24V
Maximum force for fine adjustment of longitudinal tilt angle:	3000KG-3500KG
Outboard Motor Horsepower:	75HP-115HP
IP Rating:	IP68
Colour:	Black
Material:	Aluminum-Alloy, Stainless Steel
Manual Release Valve:	Yes
Impact Prodection fiction:	Yes
Anti-beaching protection function:	Yes
Zero Pressure Loss:	Yes
High-Pressure Fine-Tuning:	Yes



Replace part number: Mercury OEM

8M0090335	8M017181(New model)
898447T1	830250T5(Old model)

D11501A


Compatible Models:

Mercury 4-stroke 75HP —115HP
Mercury 4-stroke 75HP —125HP




Hydraulic Outboard Power Tilt & Trim Assembly

Dimension



Technical Hilight

Voltage:	12V/24V
Maximum force for fine adjustment of longitudinal tilt angle:	3.5T-4T
Outboard Motor Horsepower:	75HP-125HP
IP Rating:	IP68
Colour:	Black
Material:	Aluminum-Alloy, Stainless Steel
Manual Release Valve:	Yes
Impact Prodection fiction:	Yes
Anti-beaching protection function:	Yes
Zero Pressure Loss:	Yes
High-Pressure Fine-Tuning:	Yes



Replace part number: Mercury OEM

898447T1	830250T5(Old model)
8M0090335	8M0171818(Old model)




DL001A

Compatible Brands:

Mercury, Yamaha, Suzuki, Honda, Parsun, Hidea, Canglong, Hangkai


Compatibility subject to OEM part number, mounting pattern and model-year verification.

6" Electric Hydraulic Outboard Jack Plate (150HP) Dimension



Technical Hilight

Voltage :	12V/24V
Max Jack Plate Force :	4000KG
Outboard Motor Horsepower :	10HP-150 HP
Stroke/Maximum Lifting Height :	6.69"/170mm
Pre-drilled Hole	0.47"/12mm
Plate Thickness :	0.59"/15mm
IP Rating :	IP68
Material :	Premium 7009 aviation-grade aluminum alloy
Colour :	Black
Anti-corrosion protection	Yes
Manual Release Valve :	Yes
Zero Pressure Loss :	Yes




DL002A

Compatible Brands:

Mercury, Yamaha, Suzuki, Honda, Parsun, Hidea, Canglong, Hangkai


Compatibility subject to OEM part number, mounting pattern and model-year verification.

6" Electric Hydraulic Outboard Jack Plate (300HP) Dimension



Technical Hilight

Voltage :	12V/24V
Max Jack Plate Force :	4000KG
Outboard Motor Horsepower :	10HP-300 HP
Stroke/Maximum Lifting Height :	6.1"/155mm
Pre-drilled Hole	0.55"/14mm
Plate Thickness :	0.59"/15mm
IP Rating :	IP68
Material :	Premium 7009 aviation-grade aluminum alloy
Colour :	Black
Anti-corrosion protection :	Yes
Manual Release Valve :	Yes
Zero Pressure Loss :	Yes



DL003A





Compatible Brands:

Mercury, Yamaha, Suzuki, Honda, Parsun, Hidea, Canglong, Hangkai

Compatibility subject to OEM part number, mounting pattern and model-year verification.

6" Electric Hydraulic Outboard Jack Plate with Kick-Back, Setback (300HP)

Dimension



Technical Hilight

Voltage:	12V/24V
Max Jack Plate Force:	4000KG
Outboard Motor Horsepower:	10HP-300 HP
Stroke/Maximum Lifting Height:	6.1"/155mm
Tilt springback angle:	0°~ 30°
Pre-drilled Hole	0.55"/14mm
Plate Thickness:	0.59"/15mm
IP Rating:	IP68
Material:	Premium 7009 aviation-grade aluminum alloy
Colour:	Black
Anti-corrosion protection:	Yes
Manual Release Valve:	Yes
Zero Pressure Loss:	Yes

DL004A


Compatible Brands:

Mercury, Yamaha, Suzuki, Honda,
Parsun, Hidea, Canglong, Hangkai

Compatibility subject to OEM part
number, mounting pattern and model-
year verification.

6" Electric Hydraulic Outboard Jack Plate (600HP)

Dimension



Technical Hilight

Voltage :	12V/24V
Max Jack Plate Force :	3500kg
Outboard Motor Horsepower :	10HP-600HP
Stroke/Maximum Lifting Height :	5.5"/140mm
Pre-drilled Hole	0.62"/16mm
Plate Thickness :	0.59"/15mm
IP Rating :	IP68
Material :	Premium 7009 aviation-grade aluminum alloy
Colour :	Black
Anti-corrosion protection :	Yes
Manual Release Valve :	Yes
Zero Pressure Loss :	Yes

WHY CHOOSE US

OEM & ODM Customization Tailored

Tailored marine hydraulic systems engineered to exact client specifications

Extended 50% Warranty

Premium quality build backed by industry leading reliability guarantees

Global Export & Support

Compatible with major worldwide outboard motor brands.

GET IN TOUCH

Address

Company Address, No. 666, Chenhuang Industrial Zone,
Yunlong Town, Yinzhou District, Ningbo

Phone / WeChat / WhatsApp

Eva: +86 155 6828 8833 / +86 155 6828 8833

Jesse: +86 187 6712 2582 / +86 187 6712 2582

Email

General manager: general@lanshinemarine.com

Sales Manager: eva@lanshinemarine.com

Official Website

www.lanshinemarine.com